

記録フォーマット一覧 (X-OCN)

List of recording formats (X-OCN)



イメージモード	ビデオフォーマット	レコーディングフォーマット	ベースフレームレート	バリエーションフレームレート	センサーサイズ	イメージサークル	アスペクト比	Super35 ^{※1} 対角線比較
6K 3:2	6048 x4032	X-OCN XT	23.98/24/25/29.97p /47.95/50/59.94p	1-30fps /31-60fps	35.9 x24.0mm	43.18mm	1:1.5	1.57 倍
		X-OCN ST / X-OCN LT	23.98/24/25/29.97/47.95/50/59.94p	1-60fps				
6K 1.85:1	6054 x3272	X-OCN XT	23.98/24/25/29.97/47.95/50p /59.94p	1-50fps /51-60/66/72fps	36.0 x19.4mm	40.89mm	1:1.85	1.49 倍
		X-OCN ST / X-OCN LT	23.98/24/25/29.97/47.95/50/59.94p	1-60/66/72fps				
6K 17:9	6054 x3192	X-OCN XT	23.98/24/25/29.97/47.95/50p /59.94p	1-50fps /51-60/66/72fps	36.0 x19.0mm	40.71mm	1:1.9	1.48 倍
		X-OCN ST / X-OCN LT	23.98/24/25/29.97/47.95/50/59.94p	1-60/66/72fps				
6K 2.39:1	6048 x2534	X-OCN XT	23.98/24/25/29.97/47.95/50/59.94p	1-60fps /66/72/75/88/90fps	35.9 x15.0mm	38.91mm	1:2.39	1.41 倍
		X-OCN ST / X-OCN LT		1-60/66/72/75/88/90fps				
5.7K 16:9	5674 x3192	X-OCN XT	23.98/24/25/29.97/50p /59.94p	1-50fps /51-60/66/72fps	33.7 x19.0mm	38.69mm	1:1.78	1.40 倍
		X-OCN ST / X-OCN LT	23.98/24/25/29.97/50/59.94p	1-60/66/72fps				
4K 6:5	4096 x3432	X-OCN XT	23.98/24/25/29.97/47.95/50/59.94p	1-60/66/72fps	24.3 x20.4mm	31.73mm	1:1.2	1.15 倍
		X-OCN ST / X-OCN LT						
4K 4:3	4096 x3024	X-OCN XT / X-OCN ST / X-OCN LT	23.98/24/25/29.97/47.95/50/59.94p	1-60/66/72/75fps	24.3 x18.0mm	30.24mm	1:1.33	1.1 倍
4K 4:3 +Surround View	4096 x3024 (4552 x3360) ※2	X-OCN XT / X-OCN ST / X-OCN LT	23.98/24/25/29.97p	1-30fps	24.3 x18.0mm (27.0 x20.0mm) ※2	30.24mm (33.6mm) ※2	1:1.33	1.1 倍 (1.22 倍) ※2
4K 17:9	4096 x2160	X-OCN XT / X-OCN ST / X-OCN LT	23.98/24/25/29.97/47.95/50/59.94p	1-60/66/72/75/88 90/96/100/110fps	24.3 x12.8mm	27.47mm	1:1.9	1.0 倍
4K 17:9 +Surround View	4096 x2160 (4552 x2400) ※2	X-OCN XT / X-OCN ST / X-OCN LT	23.98/24/25/29.97p	1-48fps	24.3 x12.8mm (27.0 x14.3mm) ※2	27.47mm (30.55mm) ※2	1:1.9	1.0 倍 (1.11 倍) ※2
4K 2.39:1	4096 x1716	X-OCN XT / X-OCN ST / X-OCN LT	23.98/24/25/29.97/47.95/50/59.94p	1-60/66/72/75/88 90/96/100/110/120fps	24.3 x10.2mm	26.35mm	1:2.39	0.96 倍
3.8K 16:9	3840 x2160	X-OCN XT / X-OCN ST / X-OCN LT	23.98/24/25/29.97/50/59.94p	1-60/66/72/75/88 90/96/100/110fps	22.8 x12.8mm	26.15mm	1:1.78	0.95 倍
3.8K 16:9 +Surround View	3840 x2160 (4268 x2400) ※2	X-OCN XT / X-OCN ST / X-OCN LT	23.98/24/25/29.97p	1-48fps	22.8 x12.8mm (25.4 x14.3mm) ※2	30.24mm (33.6mm) ※2	1:1.78	0.95 倍 (1.06 倍) ※2

※ 1 Super35 = ANSI S35 1.78 HDTV Trans 24 x13.5mm

※ 2 括弧内は Surround View 部分を含んだ数値です

※ブルー表記のフレームレートの収録には AXSM S66 シリーズ (2022.8 現在では、1TB の AXS-A1TS66 のみ) が必要です

AXSM 1TB (S66) 収録時間 概算 (X-OCN) (1/2)

Approximate recording times



イメージャーモード	ビデオフォーマット	レコーディングフォーマット	ベースフレームレート			バリエーションフレームレート				
			23.98p	29.97p	59.94p	72p	75p	90p	110p	120p
6K 3:2	6048 x4032	X-OCN XT	46min	38min	19min	-	-	-	-	-
		X-OCN ST	68min	54min	26min	-	-	-	-	-
		X-OCN LT	1h 56min	1h 34min	46min	-	-	-	-	-
6K 1.85:1	6054 x3272	X-OCN XT	58min	46min	23min	19min	-	-	-	-
		X-OCN ST	1h 24min	1h 8min	34min	28min	-	-	-	-
		X-OCN LT	2h 28min	1h 54min	56min	48min	-	-	-	-
6K 17:9	6054 x3192	X-OCN XT	58min	46min	23min	19min	-	-	-	-
		X-OCN ST	1h 26min	1h 8min	34min	28min	-	-	-	-
		X-OCN LT	2h 26min	1h 58min	58min	48min	-	-	-	-
6K 2.39:1	6048 x2534	X-OCN XT	1h 14min	60min	30min	25min	24min	20min	-	-
		X-OCN ST	1h 48min	1h 26min	42min	36min	34min	28min	-	-
		X-OCN LT	3h 4min	2h 28min	1h 14min	60min	58min	48min	-	-
5.7K 16:9	5674 x3192	X-OCN XT	58min	46min	23min	19min	-	-	-	-
		X-OCN ST	1h 26min	1h 8min	34min	28min	-	-	-	-
		X-OCN LT	2h 26min	1h 58min	58min	48min	-	-	-	-

※ブルー表記のフレームレートの収録には AXSM S66 シリーズ (2022.8 現在では、1TB の AXS-A1TS66 のみ) が必要です

AXSM 1TB (S66) 収録時間 概算 (X-OCN) (2/2)

Approximate recording times



イメージャーモード	ビデオフォーマット	レコーディングフォーマット	ベースフレームレート			バリエーションフレームレート				
			23.98p	29.97p	59.94p	72p	75p	90p	110p	120p
4K 6:5	4096 x3432	X-OCN XT	1h 20min	1h 4min	32min	27min	-	-	-	-
		X-OCN ST	1h 58min	1h 34min	46min	38min	-	-	-	-
		X-OCN LT	3h 20min	2h 40min	1h 20min	1h 6min	-	-	-	-
4K 4:3	4096 x3024	X-OCN XT	1h 32min	1h 14min	36min	30min	28min	-	-	-
		X-OCN ST	2h 14min	1h 48min	54min	44min	42min	-	-	-
		X-OCN LT	3h 48min	3h 2min	1h 32min	1h 16min	1h 12min	-	-	-
4K 4:3 +Surround View	4096 x3024 (4552 x3360) ※2	X-OCN XT	1h 32min	1h 14min	-	-	-	-	-	-
		X-OCN ST	2h 14min	1h 48min	-	-	-	-	-	-
		X-OCN LT	3h 48min	3h 2min	-	-	-	-	-	-
4K 17:9	4096 x2160	X-OCN XT	2h 8min	1h 42min	50min	42min	40min	34min	28min	-
		X-OCN ST	3h 8min	2h 30min	1h 14min	1h 2min	60min	50min	40min	-
		X-OCN LT	5h 16min	4h 14min	2h 6min	1h 44min	1h 40min	1h 24min	1h 8min	-
4K 17:9 +Surround View	4096 x2160 (4552 x2400) ※2	X-OCN XT	2h 8min	1h 42min	-	-	-	-	-	-
		X-OCN ST	3h 8min	2h 30min	-	-	-	-	-	-
		X-OCN LT	5h 16min	4h 14min	-	-	-	-	-	-
4K 2.39:1	4096 x1716	X-OCN XT	2h 40min	2h 8min	1h 4min	52min	50min	42min	34min	32min
		X-OCN ST	3h 54min	3h 3min	1h 34min	1h 18min	1h 14min	1h 2min	50min	46min
		X-OCN LT	6h 34min	5h 16min	2h 38min	2h 10min	2h 6min	1h 44min	1h 26min	1h 18min
3.8K 16:9	3840 x2160	X-OCN XT	2h 8min	1h 42min	50min	42min	40min	34min	28min	-
		X-OCN ST	3h 8min	2h 30min	74min	1h 2min	60min	50min	40min	-
		X-OCN LT	5h 16min	4h 14min	2h 6min	1h 44min	1h 40min	1h 24min	1h 8min	-
3.8K 16:9 +Surround View	3840 x2160 (4268 x2400) ※2	X-OCN XT	2h 8min	1h 42min	-	-	-	-	-	-
		X-OCN ST	3h 8min	2h 30min	-	-	-	-	-	-
		X-OCN LT	5h 16min	4h 14min	-	-	-	-	-	-

※ 2 括弧内は Surround View 部分を含んだ数値です

記録フォーマット一覧 (ProRes)

List of recording formats (ProRes)



イメージモード	ビデオフォーマット	レコーディングフォーマット	ベースフレームレート	バリエーションフレームレート	センサーサイズ	イメージサークル	アスペクト比	Super35 ※1 対角線比較
6K 17:9	4096 x2160	4K ProRes 4444	23.98/24/25/29.97/47.96/50/59.94p	1-60fps	36.0 x19.0mm	40.71mm	1:1.9	1.48 倍
		4K ProRes 422HQ		1-60/66/72fps				
6K 2.39:1	4096 x1716	4K ProRes 4444	23.98/24/25/29.97/47.96/50/59.94p	1-60fps	35.9 x15.0mm	38.91mm	1:2.39	1.41 倍
		4K ProRes 422HQ		1-60/66/72/75fps				
5.7K 16:9	3840 x2160	UHD ProRes 4444	23.98/24/25/29.97/47.96/50/59.94p	1-60fps	33.7 x19.0mm	38.69mm	1:1.78	1.40 倍
		UHD ProRes 422HQ		1-60/66/72fps				
4K 6:5	4096 x3432	4K ProRes 4444	23.98/24/25/29.97/47.96/50/59.94p	1-60fps	24.3 x20.4mm	31.73mm	1:1.2	1.15 倍
		4K ProRes 422HQ		1-60/66/72fps				
4K 17:9	4096 x2160	4K ProRes 4444	23.98/24/25/29.97/47.96/50/59.94p	1-60fps	24.3 x12.8mm	27.47mm	1:1.9	1.0 倍
		4K ProRes 422HQ		1-60/66/72/75/90fps				
4K 17:9 +Surround View	4096 x2160 (4552 x2400) ※2	4K ProRes 4444	23.98/24/25/29.97/47.96p	1-48fps	24.3 x12.8mm (27.0 x14.3mm) ※2	27.47mm (30.55mm) ※2	1:1.9	1.0 倍 (1.11 倍) ※2
		4K ProRes 422HQ						
4K 2.39:1	4096 x1716	4K ProRes 4444	23.98/24/25/29.97/47.96/50/59.94p	1-60fps	24.3 x10.2mm	26.35mm	1:2.39	0.96 倍
		4K ProRes 422HQ		1-60/66/72/75/90fps				
3.8K 16:9	3840 x2160	UHD ProRes 4444	23.98/24/25/29.97/50/59.94p	1-60fps	22.8 x12.8mm	26.15mm	1:1.78	0.95 倍
		UHD ProRes 422HQ		1-60/66/72/75/90fps				
3.8K 16:9 +Surround View	3860 x2160 (4268 x2400) ※2	UHD ProRes 4444	23.98/24/25/29.97/47.96p	1-48fps	22.8 x12.8mm (25.4 x14.3mm) ※2	30.24mm (33.6mm) ※2	1:1.78	0.95 倍 (1.06 倍) ※2
		UHD ProRes 422HQ						

※ 1 Super35 = ANSI S35 1.78 HDTV Trans 24 x13.5mm

※ 2 括弧内は Surround View 部分を含んだ数値です

AXSM 1TB (S66) 収録時間 概算 (ProRes)

Approximate recording times



イメージャー モード	ビデオフォーマット	レコーディングフォーマット	ベースフレームレート			バリエーションフレームレート				
			23.98p	29.97p	59.94p	72p	75p	90p	110p	120p
6K 17:9	4096 x2160	4K ProRes 4444	1h 38min	1h 18min	39min	-	-	-	-	-
		4K ProRes 422HQ	2h 26min	1h 57min	58min	48min	-	-	-	-
6K 2.39:1	4096 x1716	4K ProRes 4444	1h 38min	1h 18min	39min	-	-	-	-	-
		4K ProRes 422HQ	2h 26min	1h 57min	58min	48min	46min	-	-	-
5.7K 16:9	3840 x2160	UHD ProRes 4444	1h 44min	1h 23min	41min	-	-	-	-	-
		UHD ProRes 422HQ	2h 36min	2h 5min	1h 2min	52min	-	-	-	-
4K 6:5	4096 x3432	4K ProRes 4444	1h 38min	1h 18min	39min	-	-	-	-	-
		4K ProRes 422HQ	2h 26min	1h 57min	58min	48min	-	-	-	-
4K 17:9	4096 x2160	4K ProRes 4444	1h 38min	1h 18min	39min	-	-	-	-	-
		4K ProRes 422HQ	2h 26min	1h 57min	58min	48min	46min	39min	-	-
4K 17:9 +Surround View	4096 x2160 (4552 x2400) ※2	4K ProRes 4444	1h 38min	1h 18min	39min	-	-	-	-	-
		4K ProRes 422HQ	2h 26min	1h 57min	58min	48min	46min	39min	-	-
4K 2.39:1	4096 x1716	4K ProRes 4444	1h 38min	1h 18min	39min	-	-	-	-	-
		4K ProRes 422HQ	2h 26min	1h 57min	58min	48min	46min	39min	-	-
3.8K 16:9	3840 x2160	UHD ProRes 4444	1h 44min	1h 23min	41min	-	-	-	-	-
		UHD ProRes 422HQ	2h 36min	2h 5min	1h 2min	52min	50min	41min	-	-
3.8K 16:9 +Surround View	3860 x2160 (4268 x2400) ※2	UHD ProRes 4444	1h 44min	1h 23min	41min	-	-	-	-	-
		UHD ProRes 422HQ	2h 36min	2h 5min	1h 2min	52min	50min	41min	-	-


※ 2 括弧内は Surround View 部分を含んだ数値です

センサーサイズ比較 (1/2) (VENICE-2 6K & 他社カメラ)

Sensor size comparison[VENICE 2 6K & Others]



ALEXA MINI LF : LF OpenGate Mode OG4.5K ARRIRAW & ProRes 36.70 x25.54mm



センサーサイズ比較 (2/2) (VENICE-2 6K & VENICE-2 8K)

Sensor size comparison [VENICE-2 6K & VENICE-2 8K]



ALEXA MINI LF : LF OpenGate Mode OG4.5K ARRIRAW & ProRes 36.70 x25.54mm

VENICE-6K : 6K 3:2 & VENICE-2 8K : 8.6K 3:2 35.9 x24mm

